FLOOD	: YES OR NO	
ZONE:	BY:	

Property Owner's Name



1-B East Jefferson Street/ Post Office Box1799, Quincy, FL 32353 Phone# 850-875-8665 Fax: 850-875-7280

SWIMMING POOL/SPA PERMIT APPLICATION

Address	·		City	State	Zip
Ph	Cell			Email	Zip
Job Site Address Parcel ID			City	FL Z	Zip
Pool/Spa Contractor		City	State	_License No Zip	
Ph	Cell	City	Fax	Enp Email_	
Electrical Contractor			License No		
Address		C	City	State	Zip_
Ph	Cell	Fax	E	mail	
lines. 2. Specification 3. Homeowner	e plan shall show dimens plans (sealed), for the contract.		POOL PERMIT FEE PLANS REVIEW FEE ELECTRIC FEE PLUMBING FEE TOTAL PERMIT FEE he proposed swimming pool to be installed and	\$\$ \$\$ pool and setb	acks from the property
the applicable laws regulat	ting construction and zong: Your failure to record	ning. I a Notice of	Commencement may res	ult in you payin	be done in compliance with ag twice for improvements to Notice of Commencement.
maybe found in the publi	ic records of this count magement districts, sta	y, and there	e may be additional pern	nits required fr	licable to this property that rom other governmental rmit you are stating you are
Signature			Da	te	
	Owner or Ag	ent /Contra	ctor		
	(Please see r	everse sid	e for swimming pool	affidavit)	

GADSDEN COUNTY AFFIDAVIT FOR SWIMMING POOL/SPA OWNERS

residing at	
Hereby request a permit to build a swimming pool to be constructed by _	
	(Contractor's name/company)
have been informed by my contractor that prior to the final inspection and inspections and fencing required in accordance with applicable state regular The 2000 legislature has amended Florida Statutes to require that, effective cannot approve a final pool inspection for a residential swimming pool over the state of the following pool safety feature requirements:	lations. ve October 1, 2000, local jurisdictions
1. The pool must be isolated from access to the home by a barrier at lead perimeter of the pool. The barrier shall not have any gaps or openings the squeeze through, or climb over the barrier, and must be placed sufficiently prevent a person from immediately falling into the pool when the barrier coarrier must open outwards away from the pool and be self-closing and seeparate from any fence, wall, or other enclosure surrounding the yard under portion thereof is situated on the perimeter of the pool and meets the pool. The pool must be equipped with a safety cover complying with the spaceting and Materials (ASTM) standard F-1346-91. 3. All doors and windows providing direct access from the home to the palarm. 4. All doors providing direct access from the home to the pool must be elatching device located at least 54 inches above the floor.	at can allow a child to crawl under, y away from the waters edge to is breached. Gates located in the elf-latching. The barrier must be less the fence, wall, or other enclosure ool barrier requirements. eccifications of American Society for pool must be equipped with an exit
According to Florida Statutes, failure to comply with these requirements degree, punishable by imprisonment for up to 60 days and/or a fine of up be imposed if within 45 days after arrest or issuance of a summons or not with at least one of the aforementioned safety features and the responsible education program developed by the Florida Department of Health.	to \$500, except that no penalty shall ice to appear, the pool is equipped
I also understand the following inspections are needed: 1: Rough wall 2. Electrical grounding 3. Final	
Signature of Owner	Date
Sworn to and subscribed before me byas identification, this	_, who is personally known to me or produced day of 20
Notary's Signature	
Printed Name of Notary	Seal



1-B East Jefferson Street/ Post Office Box1799, Quincy, FL 32353 Phone# 850-875-8665 Fax: 850-875-7280

PERMIT	#

Residential Swimming Pools, Spa and Hot Tub Safety Act

AFFIDAVIT OF COMPLIANCE

I (we) acknowl	edge that a new swimming pool, spa or hot tub will be constructed or installed
at	, and hereby affirm that one of the following methods installed prior
to the final poo	l inspection to meet the requirements of chapter 515, Florida Statutes and
Florida Buildin	g Code 6th Edition (2017) (FBC) effective December 31, 2017. Please circle your
choice of comp	liance.

Residential swimming pool safety feature options;

In order to pass final inspection and receive a certificate of completion, a residential swimming pool must meet the following requirements relating to pool safety features:

- (a) The pool must be equipped with an approved safety pool cover complying with ASTM F 1346 per R 4501.17 (exception). No other barrier feature required with this option.
- (b) Where a wall of a dwelling serves as part of the barrier one (1) of the following shall apply: R4501.17.1.9.
- (c) Where a wall of a dwelling serves as part of the barrier one (1) of the following shall apply: R4501.17.1.9.
- 1. All doors and windows providing direct access from the home to the pool shall be equipped with an exit alarm complying with UL 2017 that has a minimum sound pressure rating of 85 dBA at 10 feet. The exit alarm shall produce a continuous audible warning when the door and its screen are opened. The alarm shall sound immediately after the door is opened and be capable of being heard throughout the house during normal household activities. The alarm shall be equipped with a manual means to temporarily deactivate the alarm for a single opening. Such deactivation shall last no more than 15 seconds. The deactivation switch shall be located at least 54 inches above the threshold of the door. Separate alarms are not required for each door or window if sensors wired to a central alarm sound when contact is broken at any opening.



1-B East Jefferson Street/ Post Office Box1799, Quincy, FL 32353 Phone# 850-875-8665 Fax: 850-875-7280

Exceptions:

- a. Screened or protected windows having a bottom sill height of 48 inches or more measured from the interior finished floor at the pool access level.
- b. Windows facing the pool on floor above the first story.
- c. Screened or protected pass-through kitchen windows 42 inches or higher with a counter beneath.
- 2. All doors providing direct access from the home to the pool must be equipped with a self-closing, self-latching device with positive mechanical latching/locking installed a minimum of 54 inches above the threshold, which is approved by the authority having jurisdiction.

I understand the not installing a pool safety barrier complying with the FBC $6t^h$ Edition (2017)Residential R4501.17 at the time of final inspection, or when the pool is completed for contract purposes, will constitute a violation of Chapter 515, F.S. and will be considered as committing a misdemeanor of the second degree, punishable as established in the Florida Statute.

Many types/models of alarms are not acceptable. Please check with the Building Division.

Contractor's Signature & Date	Owner's Signature & Date
Notary Public, State of Florida	Notary Public, State of Florida
Subscribed before me this Day of	, 20bywho is